

Cartier Resources intersects 6.4 gpt AU over 4 metres at Wilson

Cartier Resources Inc. {TSX.V: ECR} has released the results to date of the drilling carried out from March to June, 2017, on the Wilson property, located 15 kilometres east of Lebel-sur-Quevillon.



Cartier Resources drills four m of 6.8 g/t Au at Wilson

CARTIER INTERSECTS 6.4 G/T AU OVER 4.0 M ON THE WILSON PROPERTY

Cartier Resources Inc. {TSX.V: ECR} has released the results to date of the drilling carried out from March to June, 2017, on the Wilson property, located 15 kilometres east of Lebel-sur-Quevillon. The program's objective was to explore the lateral and depth extensions of known gold concentrations

hosted in the Toussaint and Midrim structures.

Nineteen diamond drill holes were completed for a total of 8,050 metres. All holes intersected the structures as well as mineralization and alteration. The results highlight the potential of two areas of interest from the T1 and T3 zones.

Results such as 6.8 grams per tonne gold over 4.0 m including 16.1 g/t Au over 1.0 m and 8.4 g/t Au over 1.0 m (T1: WL17-15), as well as 8.3 g/t Au over 1.0 m (T3: WL17-11), add to those released in June as well as historical intersections from zones T1 (10.5 g/t Au/4.8 m and 33.2 g/t Au/3.0 m) and T3 (11.7 g/t Au/5.2 m and 6.3 g/t Au/7.0 m). These two zones occur within clusters of multiple zones that extend in a north-south trend as well as hosting the highest gold concentrations known on the property.

"A new drill program will be conducted in the next months in order to develop the potential of the two zones at depth," commented Philippe Cloutier, president and chief executive officer.

.

Quality assurance/quality control

All lengths, mentioned in this press release, were measured along the drill core. The NQ core samples are crushed up to 80 per cent passing eight-mesh sieves and then pulverized up to 90 per cent passing a 200-mesh sieve. Cartier inserts 5 per cent of the number of samples in the form of certified standards and another 5 per cent in the form of sterile samples to ensure quality control. The samples are analyzed at the Techni-Lab laboratory (Actlabs), located in Ste-Germaine-

Boule, Que. The 50-gram pulps are analyzed by fire assay and atomic absorption. For samples containing visible gold, 1,000 g of rock are directly analyzed by the metallic sieve method.

The scientific and/or technical information presented in this press release has been reviewed and approved by Dr. Gaetan Lavalliere, PGeo, PhD, vice-president for Cartier Resources. Dr. Lavalliere is a qualified person as defined by National Instrument 43-101.